



1/9

<u>APS State</u>	<u>AGC</u>	<u>CS</u>	<u>Behavior</u>
0	off	off	storage permitted
1	on	off	set storage duration
2	on	2-line	do not store
3	on	4-line	90 minutes of storage

FIG. 1



<u>Storage duration</u>	<u>APS sequence</u>
90 minutes	3 3 3 3 3
36 hours	3 1 0 3 1 0 ...
1 week	3 1 3 1 3 1 ...
1 month	3 0 3 0 3 0 ...
6 months	3 0 1 3 0 1 ...

FIG. 2A

<u>APS STATE</u>	<u>AGC</u>	<u>CS</u>	<u>BPP</u>	<u>Behavior</u> (Use Control)	
				<u>NTSC-TV</u>	<u>PAL-TV</u>
0	off	off	off	Copy	Copy
1	on	off	6 pre/0 po	TS (30d/24h)	Copy Never
2	on	2-line	6 pre/0 po	Buffer (90)	Copy Never
3	on	4-line	6 pre/0 op	Copy Never	Copy Never
4	on	off	Off	Copy Never	Copy Never
5	on	off	0 pre/1 po	TS (30d/24h)	TS (30d/24h)
6-39	on	off	0:6 pre/0:6 po	(Reserved)	(Reserved)
<hr/>					
40	off	off	0 pre/1 po	COG	COG
41	off	off	0 pre/2 po	COGHD	COGHD
42	off	off	0 pre/3 po	MAD	MAD
43	off	off	0 pre/4 po	CAD	CAD
44-75	off	off	0:6 pre/0:6 po	(Reserved)	(Reserved)

FIG. 2B

2/9



3/9




FIG. 4A

4/9




FIG. 4B

5/9




FIG. 5




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D